

NEW MOTION SENSORS

IDEAL FOR
PASSAGE
AREAS



THE **GLOBAL SPECIALIST**
IN ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES



You can get your automatic sensors in their presentation packaging from your distributor. They are easy to carry.



0 489 44 (1)



0 489 45 (1)



0 489 46 (1)



Growing demand for energy savings requires suitable and easy solutions

Legrand's motion sensors do the work for you, making energy savings entirely automatic. They are ideal for passage areas (corridors, toilets, etc.). Install these motion sensors and make forgetting to turn off the lights, a thing of the past.

NEW MOTION SENSORS FOR WALL & CEILING INSTALLATIONS




FALSE CEILING MOUNTING MOTION SENSOR

WALL MOUNTING MOTION SENSOR

WALL & CEILING MOUNTING MOTION SENSOR

GENERAL CHARACTERISTICS

- Quick, easy mounting
- Precise detection and settings
- Automatic On/Off
- Passive Infrared technology (PIR)
- Manual adjustment: light level and time delay via onboard trimmers
- Light level threshold: 10-1275 lux
- Adjustable time delay: 10 sec to 10 minutes
- 3 wires – with neutral
- Incandescence ⁽²⁾
(max 1000 W)
- Halogen ⁽²⁾
(max 500 VA/W)
- Fluorescent ⁽²⁾
(max 250 VA/W)
- CFL / LED ⁽²⁾
(max 250 VA/W)



SPECIFIC CHARACTERISTICS

- Mounting
- IP
- Detection range

0 489 41 / 0 489 44 ⁽¹⁾
False ceiling
IP41 (indoor)
360°

0 489 42 / 0 489 45 ⁽¹⁾
Wall
IP42 (indoor)
140°

0 489 43 / 0 489 46 ⁽¹⁾
Wall and ceiling
IP55 (outdoor)
360°

(1) Product catalogue number in blister pack for display near a sales counter or on shelving.
(2) See instruction sheet inside product blister pack for more details.

SEE THE COMPLETE LEGRAND RANGE AT:

www.switchsensor.legrand.com





FOLLOW US ON

@ legrand.com

 youtube.com/user/legrand

 facebook.com/Legrand

 twitter.com/Legrand

 pinterest.com/legrandgroup

 instagram.com/legrandnews



Head office

and International Management
87045 Limoges Cedex - France

Tel. : + 33 (0) 5 55 06 87 87

Fax: + 33 (0) 5 55 06 74 55