

Mallia™

WOW
MORE
CHOICES
NOW

Express Yourself Like Never Before

 legrand®

SPOILT FOR CHOICE

Mixing colours is a breeze with Mallia™. With new rocker colours added to the range, there are now even more exciting possibilities.



WOW A visual treat / 4 /

MORE An enduring form / 8 /

CHOICES For every purpose / 10 /

NOW An easy fix / 14 /

SHOP Catalogue pages / 16 /



WOW

Designed to Impress

How about introducing an extra oomph to your house?
The two new Mallia rocker colours, Matt Black and Champagne, are designed for just that purpose.



Matt Black with Silver rocker



Copper with Matt Black rocker



Champagne with Pearl rocker



Bronze with Champagne rocker



A Style that Never Gets Dated

When the conventional White, graceful light Silver, classy Pearl and cool Dark Silver meet the mysterious Matt Black and chic Champagne, you will get alluring elegance and uncompromising simplicity – like always.



Champagne



Matt Black



Silver



Pearl



White



Dark Silver




Matt Black

Smooth to the touch and complete with a sleek profile, the Matt Black series is unquestionably a stunning addition to any modern home.



An Enduring Form

Each curve and detail of Mallia™ exudes uniqueness.



Colour and finish converge into a pristine whole.



Slim profile to fit every space and design.





Champagne

Absolute elegance, enhanced by a dignified and enduring style, the timeless Champagne series promises to introduce a touch of sophistication to your beautiful home.

Metal

Two different textures to provide a distinctive touch, the Brushed and Polished Stainless Steel series are among the most versatile in the Mallia™ range.



Brushed Stainless Steel



Polished Stainless Steel

M



RE

Full Colour

Introducing the new additions to the Mallia™ family – Matt Black and Champagne. While Matt Black exudes an air of mystery, Champagne embodies familiarity and finesse. Together, they inspire your creativity.



Mix and Match

Let the spectrum of Mallia™ colours delight your visual senses. Whether you are in the mood to pack in some colours and spice things up or keep it pure and simple for a touch of authenticity, Mallia™ presents you with the freedom to go with full colour or mix and match – it's your call.





Brushed Stainless Steel
with Silver rocker



White



Lacquered Black with
Dark Silver rocker



Dark Silver



Pearl



Gold with Champagne
rocker



Silver



Copper with Pearl rocker



Bronze with
Champagne rocker



Champagne with
Dark Silver rocker



Polished Stainless Steel
with Matt Black rocker



Silver with
Dark Silver rocker



CHOICES



The Universal Dimmer

We promise you will love the Mallia™ Universal Dimmers. This is one device that does it all – dim and control dimmable LEDs and CFL, halogen or incandescent lamps. Enabling you to harness the full energy efficiency potential of modern loads is our way of reciprocating your loyalty.



LED



CFL



Halogen



Incandescent





The Multi-standard Socket

Powering international appliances is made easy with the Mallia™ multi-standard socket. Suitable for every type of plug found around the world, it is the perfect complement for any environment hosting global visitors.



Even more versatile than before

No matter what modern lifestyle demands you may have, you are well covered with Mallia™. Every care has been taken to make Mallia™ friendlier and more synchronised with your modern lifestyle, so you can be certain that Mallia™'s form always complements the function and you get a complete experience.



1 to 3 gang transparent rockers consist of 3 layers: rocker, blank label and transparent cover.



Full surface blank label holders allow you to display customised pictures, wallpapers and easy-to-read indicator labels!





3-gang switch



4-gang switch



Rotary dimmer



Automatic switch



Telephone socket



FM-TV socket



Fan speed control



BS socket outlet



Indicator for Do not disturb /
Clean up and bell push-button



Data socket



Multistandard switched socket outlets



N O W




Not only does Mallia™ offer form and function, we also take care to ensure that the installation process is effortless.



The resilient and flexible material used for the plates makes them easy to mount on uneven surfaces.




Slim mechanism design leaves room for larger wiring space in the box.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



The safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



Top access screws for connecting the wires make installation a piece of cake.

SHOP

There's no better test for our relationship than to make a durable commitment. Let's take the next step together. Start shopping.



Mallia™

single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669-1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	1 gang - 1-way switch ○ White
10	2 810 01	1 gang - 2-way switch ○ White
4	2 810 08	1 gang - intermediate switch ○ White
10	2 810 02	2 gang - 1-way switch ○ White
10	2 810 03	2 gang - 2-way switch ○ White
10	2 810 04	3 gang - 1-way switch ○ White
10	2 810 05	3 gang - 2-way switch ○ White
10	2 810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 31) The LED is not supplied		
10	2 810 10	1 gang - 1-way switch ○ White
10	2 810 11	1 gang - 2-way switch ○ White
4	2 810 09	1 gang - intermediate switch ○ White
10	2 810 12	2 gang - 1-way switch ○ White
10	2 810 13	2 gang - 2-way switch ○ White
10	2 810 14	3 gang - 1-way switch ○ White
10	2 810 15	3 gang - 2-way switch ○ White
10	2 810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Mallia™

single pole switches and double pole switches - complete white



2 810 50



2 810 53



2 810 62



2 810 72

Conform to BS EN 60669-1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	1 gang - 1-way switch ○ White
10	2 810 51	1 gang - 2-way switch ○ White
4	2 810 69	1 gang - intermediate switch ○ White
10	2 810 52	2 gang - 1-way switch ○ White
10	2 810 53	2 gang - 2-way switch ○ White
10	2 810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
Double pole switches 20 AX - 250 V~		
10	2 810 60	Equipped with earth link connector 1 gang - 1-way ○ White
10	2 810 61	1 gang - 1-way with LED power indicator ○ White
10	2 810 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 65	Equipped with earth link connector 2 gang - 1-way with LED power indicator ○ White
10	2 810 66	1 gang - 1-way with LED power indicator and cable outlet ○ White
10	2 810 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ○ White
10	2 810 68	1 gang - 2-way with "WATER HEATER" marking ○ White
Double pole switches 45 A - 250 V~		
10	2 810 71	1 gang - 1-way with red indicator ○ White
10	2 810 72	1 gang - 1-way with red indicator and cooker marking ○ White
5	2 810 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ○ White

Mallia™

push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40



2 810 84



2 810 91



2 810 75

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V \sim
10	2 810 41	Conform to BS EN 60669-1 N/O contact (push to make) ○ White
10	2 810 40	N/O contact with bell symbol ○ White
1	2 810 86	RLC + LED dimmer Rotary dimmer without neutral Conform to BS EN 60669-2-1 100-240 V \sim for all types of dimmable bulbs: - dimmable LED: 5 to 75 W (10 bulbs max.) - dimmable compact fluorescent bulbs: 5 to 75 W (10 bulbs max.) - fluorescent tube with ballast: 5 to 300 VA - halogen and incandescent: 5 to 300 W - electronic or ferromagnetic transformers: 5 to 300 VA When switched on, gradually (2 seconds) lights up at the level set before last switch off
1	2 810 80	Leading edge dimmers Conform to BS EN 60669-2-1 Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V \sim 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 84	Rotary control dimmer + switch 60-500 W for incandescent and halogen lamps 230 V \sim 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 85	Rotary dimmer 60-1000 W (230 V) 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers ○ White

Pack	Cat.Nos	Programmable switch
1	2 810 92	Conform to BS EN 60669-2-1 Power supply: 230 VA - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ○ White
1	2 810 91	Time delay switch Conform to BS EN 60669-2-1 Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V \sim 250 W fluorescent lamps without capacitor ○ White
1	2 810 81	Fan speed controls Conform to BS EN 60669-2-1 400 VA rotary fan control ○ White
1	2 810 82	5-speed fan control 100 W for fan with overall diameter 48" ○ White
5	2 810 75	Cooker control unit 45 A - 250 V\sim Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White
1	2 810 90	Automatic switch Conform to BS EN 60669-2-1 IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V \sim ○ White



2 811 60



2 811 65



2 811 35



2 811 47

Polycarbonate front cover plates with a matt finish. Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. Dim.: 86 x 86 mm

Telephone sockets

Pack	Cat.Nos	Description
5	2 811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White
5	2 811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White
5	2 811 68	BS master telephone sockets ○ White
5	2 811 69	BS secondary telephone sockets ○ White
10	2 811 70	2 A - 3 pin sockets ○ White


Data sockets

5	2 811 61	RJ 45 Cat. 5e UTP ○ White
5	2 811 62	RJ 45 Cat. 6 UTP ○ White
5	2 811 64	Double RJ 45 Cat. 5e UTP ○ White
5	2 811 65	Double RJ 45 Cat. 6 UTP ○ White


Telephone and data sockets

5	2 811 66	RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White
---	----------	---


Television sockets

5	2 811 57	TV-R-SAT socket ○ White
5	2 811 53	TV-R socket ○ White
10	2 811 51	TV socket ○ White
10	2 811 52	TV socket "F" type with screws ○ White
5	2 811 55	TV-FM SCV Outlet Type F (2 gang)


Shaver socket

1	2 811 35	Conform to BS EN 61558-2-5 230 V / 120 V ~ - 50/60 Hz. Dim.: 86 x 146 mm ○ White
---	----------	--


Cable outlets

10	2 811 47	Conform to BS 5733 20 A ○ White
5	2 811 48	45 A ○ White



Mallia™

British standard socket outlets and fused connection units - complete white



Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2
10	2 811 10	1 gang unswitched ○ White
5	2 811 12	2 gang unswitched Dim.: 146 x 86 mm ○ White
10	2 811 11	1 gang - single pole switched ○ White
10	2 811 14	1 gang - single pole switched with red power indicator ○ White
5	2 811 13	2 gang - single pole switched Dim.: 146 x 86 mm ○ White
5	2 811 15	2 gang - single pole switched with red power indicator Dim.: 146 x 86 mm ○ White
10	2 811 16	1 gang - double pole switched ○ White
10	2 811 18	1 gang - double pole switched with red power indicator ○ White
5	2 811 17	2 gang - double pole switched Dim.: 146 x 86 mm ○ White
5	2 811 19	2 gang - double pole switched with red power indicator Dim.: 146 x 86 mm ○ White

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
10	2 811 27	Conform to BS 546 1 gang unswitched ○ White
10	2 811 28	1 gang switched ○ White
10	2 811 29	1 gang switched, with red LED power indicator ○ White

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
10	2 811 31	Conform to BS 546 1 gang unswitched ○ White
10	2 811 32	1 gang switched ○ White

Pack	Cat.Nos	13 A fused connection units
		Conform to BS 1363: Part 4
10	2 811 40	Unswitched ○ White
10	2 811 41	Switched ○ White
10	2 811 42	Switched with red LED power indicator ○ White

Mallia™

Euro-US and German standard socket outlets - complete white



Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack Cat.Nos Euro-US standard socket outlets 10/16 A - 250 V~

Pack	Cat.Nos	Socket Outlet Type	Color
10	2 811 00	2P - 1 gang	White
10	2 811 01	2P - 1 gang + 10 A switch	White
10	2 811 02	2P - 2 gang (separated connection)	White
10	2 811 03	2P+E - 1 gang	White
10	2 811 04	2P+E - 2 gang	White

10 German standard socket outlet 16 A - 250 V~

Pack	Cat.Nos	Socket Outlet Type	Color
10	2 811 26	2P+E - 1 gang	White

10 Multistandard switched socket outlets 16 A - 250 V~ 15 A - 127 V

Pack	Cat.Nos	Socket Outlet Type	Color
10	2 811 20	2P+E - 1 gang	White
10	2 811 22	2P+E - 2 gang	White

10 US standard socket outlets 15 A - 127 V

Pack	Cat.Nos	Socket Outlet Type	Color
10	2 811 05	2P+E - 1 gang	White
10	2 811 06	2P+E - 2 gang	White

Mallia™

modular sockets - white



Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Dim.: 146 x 86 mm

Pack Cat.Nos Socket outlets modular mechanisms

Pack	Cat.Nos	Socket Outlet Type	Color
5	2 818 55	1 gang unswitched - British standard - 13 A - 250 V~	White
5	2 818 58	1 gang switched - British standard - 13 A - 250 V~	White
8	2 818 47	2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V~	White

Mallia™

switches for hotels, downlighter and sound distribution - complete white



2 810 48



2 810 97



2 811 82



2 811 84

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	Key card switch - 15 A Time delay around 30 s ○ White
10	2 810 45	Do not disturb / Occupied / Clean up Bell push-button ○ White
10	2 810 46	Do not disturb / Clean up - 2 gang switch ○ White
5	2 810 97	Downlighter Low output downlighter 230 V~, with LED 2P+E - 1 gang ○ White

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 811 80	Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers ○ White
1	2 811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
1	2 811 82	Central unit ○ White
1	2 811 83	Local control unit With LCD display, child surveillance and intercommunication ○ White
1	2 811 84	Radio tuner with local control unit Dim.: 146 x 86 mm ○ White
1	2 811 85	Loudspeaker ○ White

Mallia™

single pole switches - customisable colours



2 838 00



2 830 02



2 820 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97



Plate selection charts p. 32

Conform to BS EN 60669-1

Painted polycarbonate front cover

Compact mechanism for a larger wiring space

Supplied with 2 screws M 3.5 for BS boxes

To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 00	
5	2 834 00	
5	2 838 00	
5	2 820 00	
5	2 830 01	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 01	
5	2 834 01	
5	2 838 01	
5	2 820 01	
4	2 830 08	1 gang - intermediate switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
4	2 832 08	
4	2 834 08	
4	2 820 08	
5	2 830 02	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 02	
5	2 834 02	
5	2 838 02	
5	2 820 02	
5	2 830 03	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 03	
5	2 834 03	
5	2 838 03	
5	2 820 03	
5	2 830 04	3 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 04	
5	2 834 04	
5	2 838 04	
5	2 820 04	
5	2 830 05	3 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 05	
5	2 834 05	
5	2 838 05	
5	2 820 05	
5	2 830 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 06	
5	2 834 06	
5	2 838 06	
5	2 820 06	
5	2 830 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 832 07	
5	2 834 07	
5	2 838 07	

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
		Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 31) The LED is not supplied
5	2 830 10	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 10	
5	2 834 10	
5	2 830 11	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 11	
5	2 834 11	
4	2 830 09	1 gang - intermediate switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
4	2 832 09	
4	2 834 09	
5	2 830 12	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 12	
5	2 834 12	
5	2 830 13	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 13	
5	2 834 13	
5	2 830 14	3 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 14	
5	2 834 14	
5	2 830 15	3 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 15	
5	2 834 15	
5	2 830 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 16	
5	2 834 16	
5	2 830 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 17	
5	2 834 17	

Mallia™

single pole switches and double pole switches - customisable colours



2 838 50



2 834 53



2 830 54



2 820 62



2 834 66

Plate selection charts p. 32

Conform to BS EN 60669-1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 832 50	
5	2 834 50	
5	2 838 50	
5	2 830 51	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 832 51	
5	2 834 51	
5	2 838 51	
4	2 830 69	1 gang - intermediate switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
4	2 832 69	
4	2 834 69	
5	2 830 52	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 832 52	
5	2 834 52	
5	2 838 52	
5	2 830 53	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 832 53	
5	2 834 53	
5	2 838 53	
5	2 830 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 832 54	
5	2 834 54	
5	2 838 54	
5	2 830 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 832 55	
5	2 834 55	
5	2 838 55	
		Double pole switches 20 AX - 250 V~
		Equipped with earth link connector
5	2 830 60	1 gang - 1-way <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 60	
5	2 834 60	
5	2 830 61	1 gang - 1-way with LED power indicator <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 61	
5	2 834 61	
5	2 838 61	
5	2 820 61	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~ (continued)
5	2 830 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 62	
5	2 834 62	
5	2 838 62	
5	2 820 62	
5	2 830 65	2 gang - 1-way with LED power indicator <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 65	
5	2 834 65	
5	2 830 66	1 gang - 1-way with LED power indicator and cable outlet <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 66	
5	2 834 66	
5	2 830 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 67	
5	2 834 67	
5	2 830 68	1 gang - 2-way with "WATER HEATER" marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 68	
5	2 834 68	
		Double pole switches 45 A - 250 V~
5	2 830 71	1 gang - 1-way with red indicator <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 71	
5	2 834 71	
5	2 838 71	
5	2 820 71	
5	2 830 72	1 gang - 1-way with red indicator and cooker marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 72	
5	2 834 72	
5	2 830 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm Use special plates (p. 31) <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 832 73	
5	2 834 73	
5	2 838 73	



2 830 84



2 834 90



2 838 86



2 817 75

Plate selection charts p. 32

 Painted polycarbonate front cover. Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~	Pack	Cat.Nos	Programmable switches	
5	2 830 41	Conform to BS EN 60669-1 N/O contact (push to make) <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black 	1	2 830 92	Conform to BS EN 60669-2-1 Power supply: 230 V~ - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver 	
5	2 832 41		1	2 832 92		
5	2 834 41		1	2 834 92		
5	2 838 41		N/O contact with bell symbol <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black 	5	2 830 40	Time delay switches Conform to BS EN 60669-2-1 Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 40			1	2 830 91	
5	2 834 40	1		2 832 91		
5	2 838 40	1		2 834 91		
5	2 820 40	1		2 830 81		
1	2 830 86	RLC + LED dimmer Rotary dimmer without neutral Conform to BS EN 60669-2-1 100-240 V~ for all types of dimmable bulbs: - dimmable LED: 5 to 75 W (10 bulbs max.) - dimmable compact fluorescent bulbs: 5 to 75 W (10 bulbs max.) - fluorescent tube with ballast: 5 to 300 VA - halogen and incandescent: 5 to 300 W - electronic or ferromagnetic transformers: 5 to 300 VA When switched on, gradually (2 seconds) lights up at the level set before last switch off <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black 	1	2 830 81	Fan speed controls Conform to BS EN 60669-2-1 400 VA rotary fan controls <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver 	
1	2 832 86		1	2 832 81		
1	2 834 86		1	2 834 81		
1	2 838 86		1	2 830 82		
1	2 820 86		1	2 832 82		
1	2 830 80	Leading edge dimmers Conform to BS EN 60669-2-1 Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~. 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black 	1	2 834 82	5-speed fan controls 100 W for fan with overall diameter 48" <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver 	
1	2 832 80		1	2 832 82		
1	2 834 80		1	2 834 82		
1	2 838 80		5	2 812 75		
1	2 820 80		5	2 832 75		
1	2 830 84	Rotary control dimmer + switch 60-500 W for incandescent and halogen lamps 230 V~. 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver 	5	2 834 75	Cooker control units 45 A - 250 V~ Supplied complete with plate Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne 	
1	2 832 84		5	2 817 75		
1	2 834 84		5	2 834 75		
1	2 830 85		5	2 817 75		
1	2 832 85		5	2 817 75		
1	2 834 85	Rotary dimmer 60-1000 W (230 V) - 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour. 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver 	1	2 830 90	Automatic switches Conform to BS EN 60669-2-1 IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver 	
1	2 832 85		1	2 832 90		
1	2 834 85		1	2 834 90		

Mallia™

telephone, data, television, shaver sockets and cable outlets - customisable colours



2 831 62



2 835 65



2 835 51



2 839 35

Plate selection charts p. 32

Painted polycarbonate front cover. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Telephone sockets

Pack	Cat.Nos	Description	Colours
5	2 831 60	RJ 11 sockets - 4 contacts	
		1/4 turn, tool-less connector	
5	2 833 60		● Silver
5	2 835 60		● Pearl
5	2 839 60		● Dark Silver
5	2 831 60		● Champagne
5	2 821 60		● Matt Black
5	2 831 63	Double RJ 11 sockets - 4 contacts	
		1/4 turn, tool-less connector	
5	2 833 63		● Silver
5	2 835 63		● Pearl
5	2 835 63		● Dark Silver
5	2 831 68	BS master telephone sockets	
5	2 833 68		● Silver
5	2 835 68		● Pearl
5	2 835 68		● Dark Silver
5	2 831 69	BS secondary telephone sockets	
5	2 833 69		● Silver
5	2 835 69		● Pearl
5	2 835 69		● Dark Silver
5	2 831 70	2 A - 3 pin sockets	
5	2 833 70		● Silver
5	2 835 70		● Pearl
5	2 835 70		● Dark Silver

Data sockets

5	2 831 61	RJ 45 Cat. 5e UTP	
5	2 833 61		● Silver
5	2 835 61		● Pearl
5	2 839 61		● Dark Silver
5	2 831 61		● Champagne
5	2 821 61		● Matt Black
5	2 831 62	RJ 45 Cat. 6 UTP	
5	2 833 62		● Silver
5	2 835 62		● Pearl
5	2 839 62		● Dark Silver
5	2 831 62		● Champagne
5	2 821 62		● Matt Black
5	2 831 64	Double RJ 45 Cat. 5e UTP	
5	2 833 64		● Silver
5	2 835 64		● Pearl
5	2 839 64		● Dark Silver
5	2 835 64		● Matt Black
5	2 831 65	Double RJ 45 Cat. 6 UTP	
5	2 833 65		● Silver
5	2 835 65		● Pearl
5	2 839 65		● Dark Silver
5	2 831 65		● Champagne
5	2 821 65		● Matt Black

Telephone and data sockets

5	2 831 66	RJ 11 + RJ 45 sockets Cat. 5e UTP	
5	2 833 66		● Silver
5	2 835 66		● Dark Silver

Television sockets

5	2 831 57	TV-R-SAT sockets	
5	2 833 57		● Silver
5	2 835 57		● Pearl
5	2 839 57		● Dark Silver
5	2 831 57		● Champagne
5	2 821 57		● Matt Black
5	2 831 53	TV-R sockets	
5	2 833 53		● Silver
5	2 835 53		● Pearl
5	2 835 53		● Dark Silver
5	2 831 51	TV sockets -	
5	2 833 51		● Silver
5	2 835 51		● Pearl
5	2 839 51		● Dark Silver
5	2 831 51		● Champagne
5	2 821 51		● Matt Black
5	2 831 52	TV sockets "F" type	
5	2 833 52		● Silver
5	2 835 52		● Pearl
5	2 839 52		● Dark Silver
5	2 831 52		● Champagne
5	2 821 52		● Matt Black
5	2 831 55	TV/ FM sockets	
5	2 833 55		● Silver
5	2 835 55		● Pearl
5	2 835 55		● Dark Silver

Shaver sockets

		Conform to BS EN 61558-2-5	
		230 V / 120 V ~ - 50/60 Hz	
		Dim.: 86 x 146 mm	
1	2 831 35		● Silver
1	2 833 35		● Pearl
1	2 835 35		● Dark Silver
1	2 839 35		● Champagne
1	2 821 35		● Matt Black

Cable outlets

		Conform to BS 5733	
		20 A	
5	2 831 47		● Silver
5	2 833 47		● Pearl
5	2 835 47		● Dark Silver
5	2 839 47		● Champagne
5	2 821 47		● Matt Black
		45 A - supplied complete with plate	
5	2 831 48		● Silver
5	2 833 48		● Pearl
5	2 835 48		● Dark Silver
5	2 839 48		● Champagne
5	2 831 48		● Matt Black



2 839 13



2 817 16



2 821 28



2 833 42

Plate selection charts p. 32

Painted polycarbonate front cover. Compact mechanism for a larger wiring space
 Supplied with 2 screws. M 3.5 for BS boxes. All sockets integrate child protection. To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2
		1 gang unswitched
5	2 831 10	Silver
5	2 833 10	Pearl
5	2 835 10	Dark Silver
5	2 839 10	Champagne
		2 gang unswitched - Dim.: 146 x 86 mm
5	2 831 12	Silver
5	2 833 12	Pearl
5	2 835 12	Dark Silver
5	2 839 12	Champagne
		1 gang - single pole switched
5	2 831 11	Silver
5	2 833 11	Pearl
5	2 835 11	Dark Silver
5	2 839 11	Champagne
5	2 821 11	Matt Black
		1 gang - single pole switched with red power indicator
5	2 831 14	Silver
5	2 833 14	Pearl
5	2 835 14	Dark Silver
5	2 839 14	Champagne
		2 gang - single pole switched - Dim.: 146 x 86 mm
5	2 831 13	Silver
5	2 833 13	Pearl
5	2 835 13	Dark Silver
5	2 839 13	Champagne
5	2 821 13	Matt Black
		2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 831 15	Silver
5	2 833 15	Pearl
5	2 835 15	Dark Silver

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~
		Supplied complete with plate
		1 gang - double pole switched
5	2 813 16	Silver
5	2 816 16	Pearl
5	2 817 16	Dark Silver
10	2 818 16	Champagne
		1 gang - double pole switched with red power indicator
5	2 813 18	Silver
5	2 816 18	Pearl
5	2 817 18	Dark Silver
10	2 818 18	Champagne
		2 gang - double pole switched - Dim.: 146 x 86 mm
5	2 813 17	Silver
5	2 816 17	Pearl
5	2 817 17	Dark Silver
5	2 818 17	Champagne
		2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 813 19	Silver
5	2 816 19	Pearl
5	2 817 19	Dark Silver
5	2 818 19	Champagne

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
		Conform to BS 546
		1 gang unswitched
5	2 831 27	Silver
5	2 833 27	Pearl
5	2 835 27	Dark Silver
		1 gang switched
5	2 831 28	Silver
5	2 833 28	Pearl
5	2 835 28	Dark Silver
5	2 839 28	Champagne
5	2 821 28	Matt Black
		1 gang switched, with red LED power indicator
5	2 831 29	Silver
5	2 833 29	Pearl
5	2 835 29	Dark Silver
		British standard socket outlets 5 A - 250 V~
		Conform to BS 546
		1 gang unswitched
5	2 831 31	Silver
5	2 833 31	Pearl
5	2 835 31	Dark Silver
		1 gang switched
5	2 831 32	Silver
5	2 833 32	Pearl
5	2 835 32	Dark Silver
5	2 839 32	Champagne

Pack	Cat.Nos	13 A fused connection units
		Conform to BS 1363: Part 4
		Unswitched
5	2 831 40	Silver
5	2 833 40	Pearl
5	2 835 40	Dark Silver
5	2 839 40	Champagne
5	2 821 40	Matt Black
		Switched
5	2 831 41	Silver
5	2 833 41	Pearl
5	2 835 41	Dark Silver
		Switched with red LED power indicator
5	2 831 42	Silver
5	2 833 42	Pearl
5	2 835 42	Dark Silver
5	2 839 42	Champagne

Mallia™ - Euro-US and German standard socket outlets

customisable colours



2 835 02

2 839 22

Plate selection charts p. 32

Painted polycarbonate front cover. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection. To be equipped with plates
Dim.: 86 x 86 mm

Euro-US standard socket outlets 10/16 A - 250 V~

Pack	Cat.Nos	Color
5	2 831 00	Silver
	2 833 00	Pearl
	2 835 00	Dark Silver
5	2 831 01	Silver
	2 833 01	Pearl
	2 835 01	Dark Silver
5	2 831 02	Silver
	2 833 02	Pearl
	2 835 02	Dark Silver
5	2 831 03	Silver
	2 833 03	Pearl
	2 835 03	Dark Silver
5	2 831 04	Silver
	2 833 04	Pearl
	2 835 04	Dark Silver

2P - 1 gang

- Silver
- Pearl
- Dark Silver

2P - 1 gang + 10 A switch

- Silver
- Pearl
- Dark Silver

2P - 2 gang (separated connection)

- Silver
- Pearl
- Dark Silver

2P+E - 1 gang

- Silver
- Pearl
- Dark Silver

2P+E - 2 gang

- Silver
- Pearl
- Dark Silver

German standard socket outlets 16 A - 250 V~

5	2 831 26	Silver
5	2 833 26	Pearl
5	2 835 26	Dark Silver

2P+E - 1 gang

- Silver
- Pearl
- Dark Silver

Multistandard switched socket outlets - 16 A - 250 V / 15 A - 127 V

5	2 831 20	Silver
	2 833 20	Pearl
	2 835 20	Dark Silver
	2 839 20	Champagne
	2 821 20	Matt Black
4	2 831 22	Silver
	2 833 22	Pearl
	2 835 22	Dark Silver
	2 839 22	Champagne
	2 821 22	Matt Black

2P+E - 1 gang

- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black

2P+E - 2 gang

- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black

US standard socket outlets 15 A - 127 V - SASO

5	2 831 05	Silver
	2 833 05	Pearl
	2 835 05	Dark Silver
5	2 831 06	Silver
	2 833 06	Pearl
	2 835 06	Dark Silver

2P+E - 1 gang

- Silver
- Pearl
- Dark Silver

2P+E - 2 gang

- Silver
- Pearl
- Dark Silver

Mallia™

modular socket outlets customisable colours



2 818 56

2 818 59

2 819 31

Plate selection charts p. 32

Painted polycarbonate front cover

Modular socket outlets

Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
To be equipped with 2-gang support frames and plates
Dim.: 146 x 86 mm

1 gang unswitched - British standard - 13 A - 250 V~

5	2 818 56	Silver
	2 818 75	Pearl
	2 818 76	Dark Silver

1 gang switched - British standard - 13 A - 250 V~

5	2 818 59	Silver
	2 818 78	Pearl
	2 818 79	Dark Silver

2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V~

8	2 818 48	Silver
8	2 818 67	Pearl
8	2 818 68	Dark Silver

Support frames and plates - for modular socket outlets

2 gang plastic

Supplied with fixing screws

5	2 819 30	White
5	2 819 31	Silver
5	2 819 32	Champagne
5	2 819 33	Pearl
5	2 819 34	Dark Silver
5	2 819 46	Brass
5	2 819 47	Bronze
5	2 819 48	Matt Black
5	2 819 49	Copper

2 gang metal

Supplied with fixing screws

1	2 819 20	Brushed Stainless Steel
1	2 819 21	Gold
1	2 819 22	Polished Stainless Steel
1	2 819 23	Lacquered Black

Mallia™

switches for hotels, downlighters and sound distribution - customisable colours



2 838 45



2 834 97



2 833 80



2 831 85

Plate selection charts p. 32

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
		Key card switches - 15 A Time delay around 30 s
1	2 830 48	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
1	2 832 48	
1	2 834 48	
1	2 838 48	
1	2 820 48	
		Do not disturb / Occupied / Clean up Bell push-buttons
5	2 830 45	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 45	
5	2 834 45	
5	2 838 45	
5	2 820 45	
		Do not disturb / Clean up - 2 gang switches
5	2 830 46	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 46	
5	2 834 46	
5	2 838 46	
5	2 820 46	
		Downlighters
5	2 830 97	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 97	
5	2 834 97	

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
		Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers
1	2 831 80	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 80	
1	2 835 80	
		Configurable sound distribution system for several rooms
1	2 811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
		Central units
1	2 831 82	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 82	
1	2 835 82	
		Local control units With LCD display, child surveillance and intercommunication
1	2 831 83	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 83	
1	2 835 83	
		Radio tuner with local control units Dim.: 146 x 86 mm
1	2 831 84	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 84	
1	2 835 84	
		Loudspeakers
1	2 831 85	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 85	
1	2 835 85	

Mallia™

plates, blanking plates, Arteur adaptors and accessories - customisable





























Plate selection charts p. 32

Pack	Cat.Nos	Plates
10	2 819 00	1 gang - plastic <ul style="list-style-type: none"> ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper
10	2 819 05	
10	2 819 10	
10	2 819 50	
10	2 819 55	
10	2 819 60	
10	2 819 65	
10	2 819 70	
10	2 819 75	
1	2 819 78	
1	2 819 82	
1	2 819 86	
1	2 819 90	
5	2 819 01	2 x 1 gang - plastic <ul style="list-style-type: none"> ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper
5	2 819 06	
5	2 819 11	
5	2 819 51	
5	2 819 56	
5	2 819 61	
5	2 819 66	
5	2 819 71	
1	2 819 79	2 x 1 gang - metal <ul style="list-style-type: none"> ● Brushed Stainless Steel ● Gold ● Polished Stainless Steel ● Lacquered Black
1	2 819 83	
1	2 819 87	
1	2 819 91	
5	2 819 02	2 gang - Vertical For 2 gang vertical DP switch 45 A (p. 25) <ul style="list-style-type: none"> ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper ● Brushed Stainless Steel ● Gold ● Polished Stainless Steel ● Lacquered Black
5	2 819 07	
5	2 819 12	
5	2 819 52	
5	2 819 57	
5	2 819 62	
5	2 819 67	
5	2 819 72	
5	2 819 77	
1	2 819 80	
1	2 819 84	
1	2 819 88	
1	2 819 92	

Pack	Cat.Nos	Blanking plates	
10	2 811 90	1 gang <ul style="list-style-type: none"> ○ White ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black 	
10	2 831 90		
10	2 833 90		
10	2 835 90		
10	2 818 90		
10	2 821 90		
5	2 811 91		2 gang <ul style="list-style-type: none"> ○ White ● Silver ● Pearl ● Dark Silver
5	2 831 91		
5	2 833 91		
5	2 835 91		
5	2 811 92	Arteur adaptors 1 gang <ul style="list-style-type: none"> ○ White - Supplied with cover plate ● Silver - Not supplied with cover plate ● Pearl - Not supplied with cover plate ● Dark Silver - Not supplied with cover plate ● Champagne - Not supplied with cover plate ● Matt Black - Not supplied with cover plate 	
5	2 831 92		
5	2 833 92		
5	2 835 92		
5	2 818 92		
5	2 821 92		
5	2 811 93		2 gang <ul style="list-style-type: none"> ○ White - Supplied with cover plate ● Silver - Not supplied with cover plate ● Pearl - Not supplied with cover plate ● Dark Silver - Not supplied with cover plate
5	2 831 93		
5	2 833 93		
5	2 835 93		
5	2 818 95	Transparent rockers with label holders for switches Can be used instead of the standard rocker plates Supplied with white labels	
5	2 818 96		
5	2 818 97		
10	2 819 97	Lamps <ul style="list-style-type: none"> ● LED 220 V, green low consumption For locator use ● LED 220 V, red - high luminosity For indicator use 	
10	2 819 98		

PLATES		PLATES			 SUPPORT FRAMES AND PLATES FOR MODULAR SOCKET OUTLETS
		1 gang	2 x 1 gang		
White 	2 819 00	2 819 01	2 819 02	2 819 30	
Silver 	2 819 05	2 819 06	2 819 07	2 819 31	
Champagne 	2 819 10	2 819 11	2 819 12	2 819 32	
Pearl 	2 819 50	2 819 51	2 819 52	2 819 33	
Dark Silver 	2 819 55	2 819 56	2 819 57	2 819 34	
Brass 	2 819 60	2 819 61	2 819 62	2 819 46	
Bronze 	2 819 65	2 819 66	2 819 67	2 819 47	
Matt Black 	2 819 70	2 819 71	2 819 72	2 819 48	
Copper 	2 819 75	2 819 76	2 819 77	2 819 49	
Metal Brushed Stainless Steel 	2 819 78	2 819 79	2 819 80	2 819 20	
Metal Gold 	2 819 82	2 819 83	2 819 84	2 819 21	
Metal Polished Stainless Steel 	2 819 86	2 819 87	2 819 88	2 819 22	
Metal Lacquered Black 	2 819 90	2 819 91	2 819 92	2 819 23	
PLATES		BLANKING PLATES			 ARTEOR ADAPTORS
		1 gang	2 x 1 gang		
White 	2 811 90	2 811 91	2 811 92	2 811 93	
Silver 	2 831 90	2 831 91	2 831 92	2 831 93	
Pearl 	2 833 90	2 833 91	2 833 92	2 833 93	
Dark Silver 	2 835 90	2 835 91	2 835 92	2 835 93	
Champagne 	2 818 90	-	2 818 92	-	
Matt Black 	2 821 90	-	2 821 92	-	

YOUR CONTACT IN INDONESIA

PT Legrand Indonesia

15th Floor, Generali Tower at Gran
Rubina Business Park
Kawasan Rasuna Epicentrum
Jl. HR. Rasuna Said, Jakarta
Tel.: [62] 21 525 06 08
Fax: [62] 21 525 59 35
www.legrand.co.id

YOUR CONTACT IN CAMBODIA

Legrand (S) Pte Ltd Cambodia Branch & Showroom

#20b Samdach Louis Em (St.282), BKK1, Phnom Penh
Kingdom of Cambodia
Tel: [855] 0 16 64 77 00
Tel: [855] 0 968 579 354

YOUR CONTACT IN MALAYSIA

Megapower Legrand (M) Sdn Bhd

Lot 1888, Jalan KPB 7,
Kawasan Perindustrian Balakong,
Bukit Belimbing, 43300, Seri Kembangan
Selangor D.E, Malaysia
Tel.: [603] 8962 3333
Fax: [603] 8962 3322/ 3388
www.megapower.net
www.legrand.com.my

YOUR CONTACT IN MYANMAR

Legrand (S) Pte Ltd Myanmar Branch Showroom

MICT Park, Room No (304), Level-2, Building (15),
Hlaing Township, Yangon Myanmar 11051
Tel.: [95] 12 30 52 40
www.legrand.com.mm

YOUR CONTACT IN PHILIPPINES

Bticino Philippines, Inc.

G/F All Seasons Bldg.
112 Aguirre St., Legaspi Village
Makati city, 1229 Philippines
Tel.: [63] 2 892 89 72
Fax: [63] 2 892 89 71
www.bticino.com

YOUR CONTACT IN SINGAPORE

Legrand Singapore

and Southeast Asia regional office
17 Neythal Road, Singapore 628582
Tel.: [65] 6416 1550
Fax: [65] 6416 1580
Email: customerhub.sg@legrand.com.sg
www.legrand.com.sg

YOUR CONTACT IN THAILAND

Bticino (Thailand) Limited

10/F Ploenchit Center, 2 Sukhumvit Road,
Kwaeng Klongtoey, Khet Klongtoey,
Bangkok 10110
Tel.: [66] 2 656 9162-7
Fax: [66] 2 656 9197
www.bticino.co.th

YOUR CONTACT IN VIETNAM

Legrand Vietnam

Central Garden Tower, 7th floor
328 Vo Van Kiet Street,
Co Giang Ward, Dist. 1, Ho Chi Minh City
Tel.: [848] 39 207 674
Fax: [848] 39 207 675
www.legrand.com.vn



**FOLLOW US
ALSO ON**

- @ legrand.com
-  youtube.com/user/legrand
-  facebook.com/Legrand
-  twitter.com/Legrand
-  pinterest.com/legrandgroup
-  instagram.com/legrandnews

