## **Eco Metalclad**

Suited for Every Purpose







Homes, Offices, Warehouses, Parking, Factories...



Although times may have changed and needs may have become more complex, there is no doubt that Eco Metalclad is a good fit for a variety of different spaces.









## **Eco Metalclad**

## switches, double pole switches, socket outlets











8833860T

Front plates: grey epoxy coated steel Terminal screws captive and backed off ready for cabling - large angled terminal entries Supplied complete with surface-mounting back box

| Pack | Cat.Nos  | Single pole switches 10 AX - 250 V $\sim$  |
|------|----------|--|
|      |          | Conform to IEC 60669-1<br>Flush-mounting back box: min. 35 mm deep<br>Nominal plate dimensions: 81.5 x 81.5 mm |
| 5    | 8833800T | 1 Gang<br>1 gang - 1 way   |
| 5    | 8833801T | 1 gang - 2 way   |
| 5    | 8833803T | 2 Gang 2 gang - 2 way  |
| 5    | 8833805T | <b>3 Gang</b> 3 gang - 2 way   |
|      |          | Double pole switch 20A - 250V $\sim$   |
|      |          | Conform to IEC 60669-1<br>Flush-mounting back box: min. 30 mm deep<br>Nominal plate dimensions: 81.5 x 81.5 mm |
| 5    | 8833812T | DP switch + red LED power indicator  |

| Pack | Cat.Nos  | Single pole socket outlets 13 A - 250 V $\sim$  |
|------|----------|---|
|      |          | Conform to BS 1363-2 + A1, MS 589-2, SS 145-2<br>With safety shutter mechanism<br>Flush-mounting back box: min. 30 mm deep              |
| 5    | 8833860T | 1 Gang - Switched<br>Nominal plate dimensions: 81.5 x 81.5 mm   |
| 1    | 8833870T | 2 Gang - Switched Nominal plate dimensions: 81.5 x 142.0 mm   |
|      |          | Socket outlets 15 A - 250 V $\sim$  |
| 5    | 8833889T | Conform to MS 1577, BS 546, SS 472 Flush-mounting back box: min. 35 mm deep Nominal plate dimensions: 81.5 x 81.5 mm  1 gang - switched |





Legrand (S) Pte Ltd 17 Neythal Road, Singapore 628582 Tel: + 65 6416 1550