


NEW WIRING DEVICES  
**GALION**  
— **STYLE** —  
*Without*  
**BORDERS**



-> CATALOGUE PAGES INSIDE

THE GLOBAL SPECIALIST  
IN ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES



legrand

*Perfect*

FOR

TRENDY  
INTERIOR  
DESIGNS


A reflection of contemporary style and functionality designed to marry contemporary border-less design with quality and function, **Galion's range of wiring devices is crafted with excellence, using only the best quality components.**

# SUMMARY

- 02-03 ELEGANT DETAILS THAT MAKE THE DIFFERENCE
- 04-05 MINIMALIST DESIGN WITH MAXIMUM FUNCTIONS
- 06-07 A GOOD PLACE TO STAY
- 08-09 JUST FEEL LIKE HOME
- 10-11 FINEST QUALITY COMPONENTS & MATERIAL
- 12-13 STRENGTH AND EASY INSTALLATION
- 14-20 CATALOGUE PAGES



ELEGANT  
DETAILS  
*That Make*  
— THE —  
DIFFERENCE



A FULL PLATE,  
BORDER-LESS  
DESIGN,  
GALION CAN SUIT  
ANY INTERIOR  
DESIGN STYLE



DARK SILVER



CHAMPAGNE



WHITE



ROSE GOLD



MATT BLACK

The slim and fine chamfering at the edges, the slightly curved plate: the details that make the difference for an even more refined product.

The delicate silver or electroplated bar accentuate the modern and exquisite elements of a minimalist design.

02  
03

The image features a minimalist dining table and chairs set. The table is white with a dark, cross-shaped base. Two white chairs with yellow accents on the backrests are positioned at the table. A silver pendant lamp hangs above the table. The background is a light beige color with abstract, overlapping shapes in shades of green and yellow. The text is centered in the upper half of the image, enclosed in a thin brown border.

minimalist  
**DESIGN**  
WITH  
*Maximum*  
**FUNCTIONS**

GALION OFFERS A WIDE SELECTION OF FUNCTIONS ABLE TO SATISFY REQUIREMENTS OF THE MOST CURRENT PROJECTS.

CONTROL MECHANISMS



16 A single pole switches: 1 and 2-way and from 1 to 4 gang



16 A push buttons with or without bell marking



RLC + LED rotary dimmers



20 A double pole switches: 1 gang - 1 way with LED or with «water heater marking»




Fan stepless controls

SOCKET OUTLETS



1 and 2 gang 13 A British standard socket outlets with or without LED power indicator, with or without USB charger



1 or 2 gang 16 A Multistandard socket outlets



1 gang 20 A Cable outlet socket outlets

DATA SOCKET OUTLETS



Television sockets: female, «F» type and TV-FM-SAT



Double USB Type A charger



Data sockets: simple and double RJ 45 Cat. 6



04  
05

A  
GOOD  
*Place*  
TO STAY







DND/CUR control unit



DND/CUR sign and bell push button

THE DEDICATED HOSPITALITY FUNCTIONS MAKE GALION A SOLUTION PERFECTLY ADAPTED TO THE NEEDS OF A MODERN GUEST ROOM.



Electromechanical or RFID Keycard switches



USB and HDMI socket



Shaver sockets



1 and 2 gang 13 A British standard socket outlets with USB chargers

The British standard socket outlets with USB charger combine standard power with the convenience of USB charging: your device plugs straight into the USB port, leaving the standard socket free. No need for bulky adaptors, and no need to compromise on running your other appliances as usual.

Equipped with two different USB charging ports, Type-A and Type-C™, 15W or 27W. With USB Type-C™ making its way more and more into phones, tablets, etc. you are sure to be prepared for tomorrow - today.

TYPE-A



TYPE-C



06  
07

JUST  
FEEL  
LIKE —  
*Home*





BE FREE TO FEEL AT HOME, BUT WITH THE ADDED CONVENIENCE OF HOTEL SERVICES. GALION PROVIDES ALL NEEDED FUNCTIONS FOR WELL-EQUIPPED AND COMFORTABLE SERVICED APARTMENTS.



The universal dimmer that dim and control dimmable LEDs and CFL, halogen or incandescent lamps. Enabling the customers to benefit of the entire potential of modern loads and helping them to create cosy interiors.



RCD + LED rotary dimmers



13 A 1 gang fused connection units, with switch and LED power indicator



45 A double pole switches 1 gang - 1-way, with LED and red rocker



**THE ARTEOR ADAPTOR**  
It gives access to the Arteor functions for any installation requiring special functions like automatic switches, skirting light, sensitive switches, etc.



08  
09

legrand

**FINEST**  
*Quality*  
**COMPONENTS  
& MATERIAL**

legrand

13A



### ONLY THE BEST-IN-CLASS MATERIALS

Made from fire retardant PC materials that fuses safety, with effortless maintenance to suit that busy lifestyle.



### RELIABLE PROTECTION

Encased in fibreglass nylon shutter, enjoy peace of mind with a proven track record that exceeds more than 10 000 times in operations.



### PERFECT CONDUCTIVITY

With a finely-tuned ratio of phosphor bronze and silver-nickel alloy, it is the pinnacle of perfection for electrical conductivity and elasticity.

10  
11




*Strength*  
AND

**EASY**  
INSTALLATION


**COMPLETE PRODUCT**

1 CATALOGUE NUMBER = 1 READY TO INSTALL PRODUCT FOR QUICK SELECTION




### STRENGTH IN ELEGANCE

A honeycomb design supporting frame brings about the best stability and strength for electrical structures.



### EASY INSTALLATION

Experience assurance and security through installation with the new saddle-shaped terminal, which can fix up to three 4 mm<sup>2</sup> wires.



### CLASSY SIMPLICITY

A soft protection film ensures the devices' cleanliness and neatness during installation.

12  
13

# Galion™

ARTISTIC SIMPLICITY



## A REFLECTION OF CONTEMPORARY AND FUNCTION

### FUNCTIONAL AND UNIVERSAL



2 gang switch



3 gang switch



4 gang switch



13A switch socket with USB charger



Cat6 RJ45 socket



Key card Switch



Do not disturb switch sensor



Dimmer rotary



# Galion™

## Single Pole Switches and Push Button



Conform to BS EN 60669-1  
 Material: Polycarbonate front cover plates  
 Supplied with 2 screws M3,5 for BS boxes  
 Supplied complete with plate  
 Dimensions: 86 x 88 mm (1 gang)

Pack	Cat.Nos	Single switches 16 A - 250 V~	Pack	Cat.Nos	Push-buttons 16 A - 250 V~
8	282400 282400-C 282400-C1 282400-C2 282400-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)	8	282410 282410-C 282410-C1 282410-C2 282410-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	282401 282401-C 282401-C1 282401-C2 282401-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)	8	282411 282411-C 282411-C1 282411-C2 282411-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	282402 282402-C 282402-C1 282402-C2 282402-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)	8	282491 282491-C 282491-C1 282491-C2 282491-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	282403 282403-C 282403-C1 282403-C2 282403-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)	8	282421 282421-C2	<b>Push-buttons 16 A - 250 V~ (with 12V White LED)</b> <b>1 gang</b>  ○ White (Silver bar) ● Champagne (Silver bar)
8	282404 282404-C 282404-C1 282404-C2 282404-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)			<b>2 gang</b>  ○ White (Silver bar) ● Champagne (Silver bar)
8	282405 282405-C 282405-C1 282405-C2 282405-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)			<b>3 gang</b>  ○ White (Silver bar) ● Champagne (Silver bar)
8	282406 282406-C 282406-C1 282406-C2 282406-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)			<b>4 gang</b>  ○ White (Silver bar) ● Champagne (Silver bar)
8	282407 282407-C 282407-C1 282407-C2 282407-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)			
8	282413 282413-C 282413-C1 282413-C2 282413-C3	 ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)			

# Galion™

## Double Pole Switches and Cooker Unit



282408



282414



282426



282427



282426-C2

Conform to BS EN 60669-1

Material: Polycarbonate front cover plates

Supplied with 2 screws M3.5 for BS boxes

Supplied complete with plate

Dimensions: 86 x 88 mm (1 gang)

Pack	Cat.Nos	Double pole switches 20 A – 250 V~	Pack	Cat.Nos	Double pole switches 45 A - 250 V~
8	282408 282408-C 282408-C1 282408-C2 282408-C3	<b>1 gang – 1 way with Earth Connection &amp; amber LED indicator</b> <ul style="list-style-type: none"> <li>○ White (Silver bar)</li> <li>● Matt Black (Electroplate bar)</li> <li>● Rose Gold (Electroplate bar)</li> <li>● Champagne (Silver bar)</li> <li>● Dark Silver (Silver bar)</li> </ul>	5	282426 282426-C 282426-C1 282426-C2 282426-C3	<b>1 gang 1 way with red LED power indicator</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
8	282412 282412-C 282412-C1 282412-C2 282412-C3	<b>1 gang - 2 way with Earth Connection &amp; amber LED indicator</b> <ul style="list-style-type: none"> <li>○ White (Silver bar)</li> <li>● Matt Black (Electroplate bar)</li> <li>● Rose Gold (Electroplate bar)</li> <li>● Champagne (Silver bar)</li> <li>● Dark Silver (Silver bar)</li> </ul>	5	282427 282427-C 282427-C1 282427-C2 282427-C3	<b>1 gang 1 way with red rocker</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
5	282414 282414-C 282414-C1 282414-C2 282414-C3	<b>Double pole switches 20 A - 250 V~</b> With amber LED power indicator <b>1 gang 1 way - with "WATER HEATER" marking - with earth link connector</b> <ul style="list-style-type: none"> <li>○ White (Silver bar)</li> <li>● Matt Black (Electroplate bar)</li> <li>● Rose Gold (Electroplate bar)</li> <li>● Champagne (Silver bar)</li> <li>● Dark Silver (Silver bar)</li> </ul>	5	282428 282428-C 282428-C1 282428-C2 282428-C3	<b>1 gang 1 way red rocker with red LED indicator + "COOKER" marking</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
5	282408HB 282408HB-C 282408HB-C1 282408HB-C2 282408HB-C3	<b>1 gang 1 way - with "HOB" marking - with earth link connector</b> <ul style="list-style-type: none"> <li>○ White (Silver bar)</li> <li>● Matt Black (Electroplate bar)</li> <li>● Rose Gold (Electroplate bar)</li> <li>● Champagne (Silver bar)</li> <li>● Dark Silver (Silver bar)</li> </ul>	5	282429 282429-C 282429-C1 282429-C2 282429-C3	<b>2 gang 1 way vertical red rocker with red LED indicator</b> Dim.: 86 x 146 mm(vertical) <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
5	282408OV 282408OV-C 282408OV-C1 282408OV-C2 282408OV-C3	<b>1 gang 1 way - with "OVEN" marking - with earth link connector</b> <ul style="list-style-type: none"> <li>○ White (Silver bar)</li> <li>● Matt Black (Electroplate bar)</li> <li>● Rose Gold (Electroplate bar)</li> <li>● Champagne (Silver bar)</li> <li>● Dark Silver (Silver bar)</li> </ul>			
5	282408HD 282408HD-C 282408HD-C1 282408HD-C2 282408HD-C3	<b>1 gang 1 way - with "HOOD" marking - with earth link connector</b> <ul style="list-style-type: none"> <li>○ White (Silver bar)</li> <li>● Matt Black (Electroplate bar)</li> <li>● Rose Gold (Electroplate bar)</li> <li>● Champagne (Silver bar)</li> <li>● Dark Silver (Silver bar)</li> </ul>			

# Galion™

## Socket Outlet



282432



282441A-CSG



282441A-C1SG



282437-C2



282437-C3

Conform to SS 145-2  
 Material: Polycarbonate front cover plates  
 Supplied with 2 screws M3.5 for BS boxes  
 Supplied complete with plate  
 Dimensions: 86 x 88 mm (1 gang) ; 146 x 88 mm (2 gang)

Pack	Cat.Nos	British standard sockets outlets - 13 A - 250 V~	Pack	Cat.Nos	British standard socket outlets - 13 A with USB chargers
8	282432 282432-C 282432-C1 282432-C2 282432-C3	 <b>1 gang single pole switched</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	5	<b>N</b> 282441ASG 282441A-CSG 282441A-C1SG 282441A-C2SG 282441A-C3SG	 <b>1 gang SP - switched, with USB charger Type-A - 15 W with microswitch</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	282480 282480-C 282480-C1 282480-C2 282480-C3	 <b>1 gang single pole - switched - with LED power indicator</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	5	<b>N</b> 282483ASG 282483A-CSG 282483A-C1SG 282483A-C2SG 282483A-C3SG	 <b>1 gang SP switched with USB charger Type-C-18 W with microswitch power delivery</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	282433 282433-C 282433-C1 282433-C2 282433-C3	 <b>2 gang single pole switched</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	5	282443SG 282443-CSG 282443-C1SG 282443-C2SG 282443-C3SG	 <b>2-gang single pole - switched, with USB chargers Type-A and Type-C - 15 W with microswitch</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	282481 282481-C 282481-C1 282481-C2 282481-C3	 <b>2 gang single pole - switched - with LED power indicator</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	5	<b>N</b> 282336SG 282336-CSG 282336-C1SG 282336-C2SG 282336-C3SG	 <b>2-gang single pole - switched, with USB chargers Type-A and Type-C - 27 W with microswitch power delivery</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	282437 282437-C 282437-C1 282437-C2 282437-C3	 <b>1 gang single pole - switched</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver			



282442A



282444-C1



282448-C2



282453-C3

Material: Polycarbonate front cover plates  
 Supplied with 2 screws M3.5 for BS boxes  
 Supplied complete with plate  
 Dimensions: 86 x 88 mm (1 gang)

Material: Polycarbonate front cover plates  
 Supplied with 2 screws M3.5 for BS boxes  
 Supplied complete with plate  
 Dimensions: 86 x 88 mm (1 gang)

Pack	Cat.Nos	Multistandard sockets outlets - 16 A - 250 V~
8	282434 282433-C 282434-C1 282434-C2 282434-C3	<b>1 gang switched</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
5	282435 282435-C 282435-C1 282435-C2 282435-C3	<b>2 gang switched</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
5	<b>N</b> 282442A 282442A-C 282442A-C1 282442A-C2 282442A-C3	<b>Multistandard socket outlets 16 A - 250 V~ - with USB chargers</b> Consumption in passive mode < 0.08 W <b>1-gang - switched, with USB charger Type-A - 15W</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
5	<b>N</b> 282485A 282485A-C 282485A-C1 282485A-C2 282485A-C3	<b>1 gang switched with USB charger Type-C - 18W power delivery</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
5	282444 282444-C 282444-C1 282444-C2 282444-C3	<b>2 gang single pole - switched, with USB chargers Type-A and Type-C - 15 W</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
5	<b>N</b> 282337 282337-C 282337-C1 282337-C2 282337-C3	<b>2 gang single pole - switched, with USB chargers Type-A and Type-C - 27 W power delivery</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>

Pack	Cat.Nos	Fused connection units - 13A
8	282450 282450-C 282450-C1 282450-C2 282450-C3	<b>1 gang</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
8	282451 282451-C 282451-C1 282451-C2 282451-C3	<b>1 gang with switch</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
8	282453 282453-C 282453-C1 282453-C2 282453-C3	<b>1 gang switched with LED indicator</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
8	282447 282447-C 282447-C1 282447-C2 282447-C3	<b>Double USB Type-A charger</b> <b>3 A - 5 V<sub>DC</sub> - 15 W</b> Consumption in passive mode < 0.08 W <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>
8	<b>N</b> 282448 282448-C 282448-C1 282448-C2 282448-C3	<b>USB and HDMI data sockets</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>

# Galion™

## Dimmers, Television sockets, Switches for Hotels and Shaver Sockets



282457



282439-C



282449-C1



282420-C2



282415-C3

Material: Polycarbonate front cover plates  
 Supplied with 2 screws M3.5 for BS boxes  
 Supplied complete with plate  
 Dimensions: 86 x 88 mm (1 gang)

Pack	Cat.Nos	Dimmers	Pack	Cat.Nos	Hotel guest room indicators
5	282419 282419-C 282419-C1 282419-C2 282419-C3	<b>Rotary dimmers without neutral - 300 W RLC+LED</b> Conform to IEC 60669-2-1 For all types of lamps: - dimmable LEDs and CFL lamps: 5 to 75 W LED: 5 W to 75 W - dimmable compact fluorescent lamps: 5 W to 75 W - halogen with ferromagnetic or electronic transformer: 5 to 300 V~ - fluorescent tube - ballast: 5 to 300 V~ - halogen and incandescent 230 V~: 5 to 300 W ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	1	282417	<b>Indicator lamp and bell button 230 V~</b>  <b>DND/CUR 2 gang switch 230 V~ with red/ green LED</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	282420 282420-C 282420-C1 282420-C2 282420-C3	<b>Rotary dimmers without neutral 40-500W</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	5	282415 282415-C 282415-C1 282415-C2 282415-C3	<b>Keycard switches</b> <b>Keycard switches - 230 V~ - 16 A Supplied with one card</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver  <b>RFID keycard switches - 230 V~ - 16 A Compatible with ISO type contactless keycards</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	282490 282490-C 282490-C1 282490-C2 282490-C3	<b>Stepless Fan Control 40-400 VA, 230 V~, 50/60 Hz</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	5	282418 282418-C 282418-C1 282418-C2 282418-C3	<b>Shaver Socket</b> Conform to BS EN61558-2-5 115/230 V - 20 VA - 50/60 Hz Power supply: 230 VA - 50/60 Hz Suitable for use with European, British, Australian, Chinese and US 2-pin plugs Dim: 86 x 146 mm 2 outputs ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	282457 282457-C 282457-C1 282457-C2 282457-C3	<b>Television sockets</b> <b>Single TV socket, Female</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver  <b>Single TV sockets "F" type with screws, star attenuation &lt; 1dB SAT: 0 - 2400 MHz</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	1	282439 282439-C 282439-C1 282439-C2 282439-C3	<b>TV-R-SAT socket Low attenuation: 1.5dB</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver

**N** Red Cat.Nos: New products

Green Cat.Nos: Products with Certificate of Compliance (COC)



282445



282471-C



282461-C1



282470-C2



282463-C3

Material: Polycarbonate front cover plates  
 Supplied with 2 screws M3.5 for BS boxes  
 Supplied complete with plate  
 Dimensions: 86 x 88 mm (1 gang)

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Frames for multi-gang installation
8	282445 282445-C 282445-C1 282445-C2 282445-C3	<b>RJ 11</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver  <b>Double RJ 11</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	20	282472 282472-C 282472-C1 282472-C2 282472-C3	<b>2 gang frame</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver  <b>3 gang frame</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver  <b>4 gang frame</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver  <b>5 gang frame</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	282446 282446-C 282446-C1 282446-C2 282446-C3	<b>Data sockets</b>  <b>RJ 45 Cat. 6 UTP</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver  <b>RJ 45 Cat. 6A UTP</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver  <b>Double RJ 45 Cat. 6 UTP</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver  <b>Double RJ 45 Cat. 6A UTP</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver	5	282474 282474-C 282474-C1 282474-C2 282474-C3	<b>Blanking plate</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	282461 282461-C 282461-C1 282461-C2 282461-C3		5	282475 282475-C 282475-C1 282475-C2 282475-C3	<b>Arteor 2 modules adaptor</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	GO282461-C6A GO282461-C-C6A GO282461-C1 -C6A GO282461-C2-C6A GO282461-C3-C6A		15	282470 282470-C 282470-C1 282470-C2 282470-C3	
8	282463 282463-C 282463-C1 282463-C2 282463-C3		15	282471 282471-C 282471-C1 282471-C2 282471-C3	
8	GO282463-C6A GO282463-C-C6A GO282463-C1-C6A GO282463-C2-C6A GO282463-C3 -C6A				
8	282452 282452-C 282452-C1 282452-C2 282452-C3	<b>Cable outlet</b>  <b>1 gang 20A</b> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver			

For integration of Arteor functions, see Arteor offer



# Notes

A series of horizontal dotted lines spanning the width of the page, intended for taking notes.

## Notes

---

A series of horizontal dotted lines for taking notes, starting below the 'Notes' header and extending to the bottom of the page.



## Notes

A series of horizontal dotted lines for writing notes, spanning the width of the page.



FOLLOW US  
ALSO ON

→ [legrand.com.sg](http://legrand.com.sg)  
f [www.fb.com/legrandsingapore](https://www.fb.com/legrandsingapore)  
You  
Tube [youtube.com/user/legrand](https://youtube.com/user/legrand)  
in [linkedin.com](https://linkedin.com/company/legrand-s-pte-ltd/)  
/company/legrand-s-pte-ltd/



**Singapore**  
17 Neythal Road,  
Singapore 628582  
Tel: + 65 6416 1550